

## New products

### Loudspeaker cables

*Classic series - high flexible cables made from Chloride Ion Stabilized PVC insulation. Tin plating of multistranded OFC minimises corrosion and transversal distortion and protects the copper purity degree 5N*

<b>CLASSIC</b>	2 x 2.5 Antracite or Ice Blue	<b>5,00 / m</b>
<b>CLASSIC</b>	2 x 4.0 Ice Blue	<b>8,00 / m</b>
<b>CLASSIC</b>	2 x 6.0 Ice Blue	<b>11,00 / m</b>

*Ply series - designed as Side on Side structure, this provides low loss at higher audio frequencies, and by implication, the transient parts of lower frequency music fundamentals, is made evident (Low Inductance Concept). Tin plated OFC 5N purity.*

<b>PLY</b>	2 x 2.0 Ice Blue	<b>9,00 / m</b>
<b>PLY</b>	2 x 3.4 Ice Blue	<b>12,00 / m</b>
<b>PLY</b>	2 x 3.4 S Screened - Ice Blue	<b>15,00 / m</b>

*Rondo acclaimed series have a round flexible cable jacket, Twisted Conductors for low inductance. Tin plated OFC 5 N purity copper wires nearly eliminates all transversal distortions and protects from oxidation.*

<b>RONDO</b>	2 x 2.5 Antracite or Ice Blue - Single-wiring	<b>9,00 / m</b>
<b>RONDO</b>	4 x 2.5 Antracite or Ice Blue - Bi-wiring or Bi-amping	<b>13,00 / m</b>
<b>RONDO</b>	4 x 4.0 Antracite or Ice Blue - Bi-wiring or Bi-amping	<b>17,00 / m</b>

*Quadrax - Tube Shaped Conductors - StarQuad configuration, reduces RF pickup, increases immunity to interference, lowers inductance. PolyPropylene (PP) insulation is extremely stable and has a low capacitance. Additional pair meter 60 €*

<b>QUADRAX</b>	2 x 4.0 Ice Blue Combicon / Banana & Spades - Single wiring	3m pair <b>330</b>
<b>QUADRAX</b>	4 x 2.0 Ice Blue Combicon / Banana & Spades - Bi-wiring	3m pair <b>370</b>
<b>QUADRAX</b>	4 x 2.0 Ice Blue Combicon / Banana & Spades - Bi-amping	3m pair <b>400</b>

*XL Annorum - StarQuad single-wire 2 ▶ 2 configuration cable, square shaped lead configuration, where each lead comprises a plastic core around which 12 strands 5N Oxygen-free Copper are spun in a tight pitch. Additional pair meter 100 €*

<b>XL ANNORUM</b>	2 x 3.2 Ice Blue Combicon / Banana & Spades - Single wiring	2m pair <b>385</b>
<b>XL ANNORUM</b>	2 x 3.2 Ice Blue Combicon / Banana & Spades - Single wiring	3m pair <b>485</b>
<b>XL ANNORUM</b>	2 x 3.2 Ice Blue Combicon / Banana & Spades - Single wiring	4m pair <b>585</b>

*Sword - Patented Bifilar Wound Litz core, remarkable and very unusual winding construction where effective inductance is absent. Great care is taken to the high quality, protected copper conductors. Additional pair meter 250 €*

<b>SWORD</b>	2 x 3.0 Ice Blue Combicon / Banana & Spades - Single wiring	2m pair <b>710</b>
<b>SWORD</b>	2 x 3.0 Ice Blue Combicon / Banana & Spades - Single wiring	3m pair <b>960</b>
<b>SWORD</b>	2 x 3.0 Ice Blue Combicon / Banana & Spades - Single wiring	4m pair <b>1310</b>

<b>SWORD EXCALIBUR</b>	<b>RHODIUM</b> Edition - Single wiring	2m pair <b>1300</b>
<b>SWORD EXCALIBUR</b>	<b>RHODIUM</b> Edition - Single wiring	3m pair <b>1550</b>
<b>SWORD EXCALIBUR</b>	<b>RHODIUM</b> Edition - Single wiring	4m pair <b>1800</b>

## Analogue audio interconnect cables

*DUAL Cable is a quality dual in-line interconnect cable with individual screenings of aluminium foil, tin plated OFC conductors. Precision RCA6 plug connectors. Additional meter pair 10 €*

DUAL	RCA	Ice Blue	0.5m pair	68
DUAL	RCA	Ice Blue	1m pair	73
DUAL	RCA	Ice Blue	2m pair	83
DUAL	RCA	Ice Blue	3m pair	93
DUAL	RCA	Ice Blue	4m pair	103
DUAL	RCA	Ice Blue	5m pair	113

*EFF - Equalised Frequency Flow: Two Silver plated and tube shaped conductors with a PE center core, equalizing skin effect frequency flow (phasing frquencies). Conductors are individually screened. Additional meter pair 35 €*

EFF-I X	RCA	Ice Blue	1m pair	120
EFF-I X	RCA	Ice Blue	2m pair	155
EFF-I SL	RCA Sq. Lock	Ice Blue	1m pair	133
EFF-I SL	RCA Sq. Lock	Ice Blue	2m pair	168
EFF-I XLR	XLR	Ice Blue	1m pair	128
EFF-I XLR	XLR	Ice Blue	2m pair	163

*SWORD I - Reference Analogue Audio Interconnect Cable with 12 insulated conductors, 6 conductors are wound clockwise, 6 are wound counter clockwise and allows perfect velocity over the whole frequency range. This way of strand orientation, efficiently counteracts negative electrical interference giving all audible frequencies uniform transmission conditions and no open window for degrading noise to enter. That is what distinguishes a really transparent cable. Additional meters on request.*

SWORD - I SL	RCA	Transparent Ice Blue	1m pair	570
SWORD - I XLR	XLR	Transparent Ice Blue	1m pair	620

*PHONO 2RCS-CS is a dual channel connection between a turntable and a RIAA phono stage or a receiver with a dedicated phono input including the Earth Link. Supra Phono's low capacitance and carbon/nylon shield, its noise interference immunity, make a dead silent cable suitable for low output moving coil cartridges. Further the low capacitance allow for best transient response, without damping or slowing down the musical beat.*

PHONO	2 RCA-SC	Ice Blue	1m pair	106
PHONO	2 RCA-SC	Ice Blue	1,5m pair	114
PHONO	2 RCA-SC	Ice Blue	2m pair	122

*SUBLINK Subwoofer cable (Single) is symmetrically twisted to avoid the magnetic pickup. Semiconductive Nylon screen is very strong and flexible and has extremely good shielding propreties.*

SUBLINK	RCA	Ice Blue	2m piece	45
SUBLINK	RCA	Ice Blue	4m piece	55
SUBLINK	RCA	Ice Blue	6m piece	65
SUBLINK	RCA	Ice Blue	8m piece	75
SUBLINK	RCA	Ice Blue	10m piece	85
SUBLINK	RCA	Ice Blue	12m piece	95
SUBLINK	RCA / XLR	Ice Blue	available on request	

## Analogue audio interconnect cables

*BILINE MP is a concentric twin-coax interconnect cable. Ideal for PC, I-pod, I-Phone, I-Pad or quality MP3. Each pair is spec screened and jacketed / High quality stereo Mini-Jack connector.*

<b>BILINE - MP</b>	<b>Mini jack MP8 / 2 RCA</b>	<b>Ice Blue</b>	<b>1m piece</b>	<b>63</b>
<b>BILINE - MP</b>	<b>Mini jack MP8 / 2 RCA</b>	<b>Ice Blue</b>	<b>2m piece</b>	<b>69</b>
<b>BILINE - MP</b>	<b>Mini jack MP8 / 2 RCA</b>	<b>Ice Blue</b>	<b>4m piece</b>	<b>81</b>

*MP CABLE interconnect cable using 3.5 mm stereo mini jack. Gold plated & fully shielded make them ideal for connecting your mobile devices to your analogue Hi-Fi system , directly to active speakers, computer or in car stereo.*

<b>MP CABLE</b>	<b>3.5mm mini jack</b>	<b>Ice Blue</b>	<b>0.5m piece</b>	<b>19</b>
<b>MP CABLE</b>	<b>3.5mm mini jack</b>	<b>Ice Blue</b>	<b>0.8m piece</b>	<b>20</b>
<b>MP CABLE</b>	<b>3.5mm mini jack</b>	<b>Ice Blue</b>	<b>1.2m piece</b>	<b>21</b>
<b>MP CABLE</b>	<b>3.5mm mini jack / 2 RCA</b>	<b>Ice Blue</b>	<b>0.5m piece</b>	<b>27</b>
<b>MP CABLE</b>	<b>3.5mm mini jack / 2 RCA</b>	<b>Ice Blue</b>	<b>1m piece</b>	<b>29</b>
<b>MP CABLE</b>	<b>3.5mm mini jack / 2 RCA</b>	<b>Ice Blue</b>	<b>2m piece</b>	<b>32</b>

## Digital Audio and Analogue Video interconnect cables

*AES-EBU DAC: Behind professional specifications, optimal screening with strong semiconductive nylon ribbon. 110 Ω, fast interconnect of extremely low capacitance.*

<b>DAC DIGITAL</b>	<b>AES-EBU</b>	<b>XLR</b>	<b>Ice Blue</b>	<b>1m piece</b>	<b>58</b>
<b>DAC DIGITAL</b>	<b>AES-EBU</b>	<b>XLR</b>	<b>Ice Blue</b>	<b>2m piece</b>	<b>66</b>

*Trico is extremely stable at all frequencies, it is used for Digital Audio or Video Composite (Precision 75 Ω coax cable). Silver plated center core, double screenings.*

<b>TRICO RCA</b>	<b>RCA-RCA - (PPX)</b>	<b>Ice Blue</b>	<b>1m piece</b>	<b>71</b>
<b>TRICO RCA</b>	<b>RCA-RCA - (PPX)</b>	<b>Ice Blue</b>	<b>2m piece</b>	<b>87</b>
<b>TRICO RCA</b>	<b>RCA-RCA - (PPX)</b>	<b>Ice Blue</b>	<b>3m piece</b>	<b>103</b>
<b>TRICO RCA</b>	<b>RCA-RCA - (PPX)</b>	<b>Ice Blue</b>	<b>4m piece</b>	<b>119</b>

## Digital Interconnect cables / HDMI HD5 - HD5s

*HDMI HD5 offering HDMI High Speed with Ethernet & 4K resolution. SUPRA HD5 is tested and approved in compliance with the latest test provisions by HDMI's Accredited Testing Center in the USA. A secure quality guarantee of our HDMI cables.*

HDMI - HDMI HD5/S	MET-S	Interchange - able Shell	Ice Blue	0.5m piece	60
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell	Ice Blue	1m piece	63
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell	Ice Blue	1.5m piece	68
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell	Ice Blue	2m piece	72
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell	Ice Blue	3m piece	80
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell	Ice Blue	4m piece	95
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell	Ice Blue	5m piece	111
HDMI - HDMI HD5	MET-S	Interchange - able Shell	Ice Blue	6m piece	126
HDMI - HDMI HD5	MET-S	Interchange - able Shell	Ice Blue	8m piece	153
HDMI - HDMI HD5	MET-S	Interchange - able Shell	Ice Blue	10m piece	179
HDMI - HDMI HD5	MET-S	Interchange - able Shell	Ice Blue	12m piece	202
HDMI - HDMI HD5	MET-S	Interchange - able Shell	Ice Blue	15m piece	246
HDMI - HDMI HD5	MET-S	Interchange - able Shell	Ice Blue	20m piece	305
HDMI - HDMI HD5	MET-S	Interchange - able Shell	Ice Blue	25m piece	374
HDMI - Install Kit	MET-B	Bent Housing / incl. Nylon Braid		1 piece	11

## HDMI AOC - Active Optical Cable (Directional)

HDMI - HDMI 8K AOC/HDR				4m piece	310
HDMI - HDMI 8K AOC/HDR				5m piece	318
HDMI - HDMI 4K AOC/HDR				6m piece	326
HDMI - HDMI 4K AOC/HDR				8m piece	353
HDMI - HDMI 4K AOC/HDR				10m piece	367
HDMI - HDMI 4K AOC/HDR				12m piece	380
HDMI - HDMI 4K AOC/HDR				15m piece	395
HDMI - HDMI 4K AOC/HDR				20m piece	409
HDMI - HDMI 4K AOC/HDR				25m piece	438
HDMI - HDMI 4K AOC/HDR				30m piece	465
HDMI - HDMI 4K AOC/HDR				40m piece	508
HDMI - HDMI 4K AOC/HDR				50m piece	564
HDMI - HDMI 4K AOC/HDR				75m piece	691
HDMI - HDMI 4K AOC/HDR				100m piece	819

## HDMI - DVI Connectors / Adapters / Cable

HDMI XT80 (2 x Cat7)	Extender HDMI High Speed (up to 80m)	piece	342
HDMI SA 90 +	Adapter HDMI F-M Right Angle	piece	21
HDMI SA 90 -	Adapter HDMI F-M Left Angle	piece	21
HDMI F - DVI M	Adapter (Female > Male)	piece	34
DVI F - HDMI M	Adapter (Female > Male)	piece	34
DVI-D Male	DVI-D 18+1 connector	piece	21

## Digital Optical interconnect cables

*ZAC - Fibre Optic - Zero Attenuation Concept, innovative curving of fibre core tip gives a zero divergence loss. Strength and flexibility of the fibre is a warranty for long life use, available only in special lengths (see below).*

ZAC Toslink	Toslink - Toslink	Ice Blue	1m piece	47
ZAC Toslink	Toslink - Toslink	Ice Blue	2m piece	59
ZAC Toslink	Toslink - Toslink	Ice Blue	4m piece	74
ZAC Toslink	Toslink - Toslink	Ice Blue	6m piece	101
ZAC Toslink	Toslink - Toslink	Ice Blue	8m piece	118
ZAC Toslink	Toslink - Toslink	Ice Blue	10m piece	135
ZAC Toslink	Toslink - Toslink	Ice Blue	15m piece	179
ZAC Toslink	Toslink - Toslink	Ice Blue	20m piece	200
ZAC MinTos	Mini plug / Toslink	Ice Blue	1m piece	47
ZAC MinTos	Mini plug / Toslink	Ice Blue	2m piece	59
ZAC MinTos	Mini plug / Toslink	Ice Blue	4m piece	74
ZAC Mini	Mini plug / Mini plug	Ice Blue	0.3m piece	43
ZAC Mini	Mini plug / Mini plug	Ice Blue	1m piece	47

## Digital RJ45 Ethernet interconnect cables

*CAT 8 is used advantageously in TCP/IP and UDP application where correct data information is critical, e.g. 4K and 8K video streaming, high quality music streaming, gaming, data centers and in-building installations. By upping the performance 4 times to 2000MHz you are more likely to have no incorrect data being sent or not being corrected by applications in time as there is much more bandwidth to work with. This can be very important to avoid for example video loss in streaming or avoiding stuttering in music streaming and voice communication.*

CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	0.5m piece	38
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	1m piece	42
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	2m piece	51
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	3m piece	59
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	4m piece	68
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	5m piece	77
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	8m piece	98
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	10m piece	113
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	12m piece	130
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	15m piece	154
CAT 8	Stp patch	RJ45 - FR Hallogen Free	Ice Blue	20m piece	190

## LoRad Screened mains cables

*Low Radiation of electric and magnetic alternating fields - LoRad Screened 240 V Mains Cable, Full European Safety Approval, protects your equipment from radiated mains noise as well as from RF pick-up. Customized lengths available*

LoRad 1,5	Bobbin 100m	Supra LoRad 3 x 1,5mm Ice Blue	per m	10
LoRad 2,5	Bobbin 50m	Supra LoRad 3 x 2,5mm Ice Blue	per m	14
LoRad LE 2,5 Silver	Bobbin 50m	Supra LoRad 3 x 2,5mm Anthracite	per m	22
LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	1m	73
LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	1.5m	80
LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	2m	87
LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	3m	101
LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	4m	115
Same prices for	<u>CS-16- EU</u>	(Cord set 16 amp horizontal contacts)		
LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	1m	81
LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	1.5m	92
LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	2m	103
LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	3m	125
LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	4m	147
Same prices for	<u>CS-16-EU</u>	(Cord set 16 amp horizontal contacts)		

## LoRad MD-BE series - Filtered / non filtered mains blocks

*MD LoRad is a patented range, designed using a unique construction. While these products help shield your home from electronic interference fields you can also help protect your equipment against surges + other disruptions. Custom configurations*

MD02-BE	Powerblock	NIF (Non Intrusive Transient Filter) - 2 outputs	143
MD04-BE	Powerblock	NIF (Non Intrusive Transient Filter) - 4 outputs	173
MD05-BE	Powerblock	NIF (Non Intrusive Transient Filter) - 5 outputs	187
MD06-BE	Powerblock	NIF (Non Intrusive Transient Filter) - 6 outputs	200
MD06-BE / SW	Powerblock	<u>Including SWITCH</u>	215
MD06-BE / SP	Powerblock	NIF , with surge protection - 6 outputs	250
MD07-BE	Powerblock	NIF (16 amp IEC) - 7 outputs	215
MD08-BE / SP	Powerblock	NIF , with surge protection - 8 outputs (16 amp	299
MD10-BE / SP	Powerblock	NIF , with surge protection - 10 outputs (16 amp	348
MD06-BE	Black SPC	Same as above, but with Silver internal wiring	280
MD06-BE / SP	Black SPC	Same as above, but with Silver internal wiring	330
MD06-BE / SP/ SW	Black SPC	<u>Including SWITCH</u>	345
MD01-BE MK3	DC-BLOCKER		460

## Schuko and IEC connectors - gold plated contacts

SW-EU	Mains Plug	Original Supra Mains plug (grey)	19
SW-EU / A	Mains Plug	Original Supra Mains plug (grey) - Angled	19
SWF-10	IEC Plug	Original Supra IEC connector (grey)	17
SWF-16	IEC Plug	Original Supra IEC special 16 amp for MD 08 -	17

## USB 2.0 Type A-B High Speed (USB 3.0 is dual-link not used for USB Audio)

*For digital audio convertors, music streaming from computers, multimedia players, among other devices providing a USB interface. There is a great need for better cables since the failed bit transmissions will undoubtedly be detected when listening to your music, since the error correction and number of re-tries will leave audible traces. The trick is, as always, shielding, separate for each pair of leads correctly twinned and an exact impedance matching of 90ohm, which is vital for these applications. SUPRA USB 2.0 will reward you with a dynamic, rich and detailed music experience.*

USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	1m	41
USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	2m	49
USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	3m	58
USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	4m	68
USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	5m	77
USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	6m	84
USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	8m	100
USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	10m	121
USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	12m	139
USB 2.0 A-B	High Speed	Male-Male	Ice Blue	cord set	15m	163
USB 2.0 AA	High Speed	Male-Female	Ice Blue	cord set	1m	41
USB 2.0 AA	High Speed	Male-Female	Ice Blue	cord set	2m	49
USB 2.0 A mini B	High Speed	Male-Male	Ice Blue	cord set	1m	41
USB 2.0 A mini B	High Speed	Male-Male	Ice Blue	cord set	2m	49
USB 2.0 A micro B	High Speed	Male-Male	Ice Blue	cord set	1m	41
USB 2.0 A micro B	High Speed	Male-Male	Ice Blue	cord set	2m	49

## DisplayPort DP-DP

*DisplayPort is an interface for computer graphics which now reaches also projectors and begin to include TV sets. Our Supra proprietary 24K goldplated connectors are robust and incorporates a locking mechanism. The highly appreciated and proven Supra HD5/slim cable provides for lightning-fast, well shielded and accurate signal transmissions allowing any graphics to perform at its best. All features of the DisplayPort interface is incorporated in our new cable and we are proud to now being able to supply photographers, film makers, 3D artists, drawing engineers, computer gamers, etc, a cable that will not slow down or blurr video or pictures.*

DISPLAYPORT	DP - DP Male	Ice Blue	cord set	1m	70
DISPLAYPORT	DP - DP Male	Ice Blue	cord set	1,5m	75
DISPLAYPORT	DP - DP Male	Ice Blue	cord set	2m	79
DISPLAYPORT	DP - DP Male	Ice Blue	cord set	3m	87
DISPLAYPORT	DP - DP Male	Ice Blue	cord set	4m	101
DISPLAYPORT	DP - DP Male	Ice Blue	cord set	5m	118

## Analogue video interconnect cables

*AV 6.4 - Multi-core of six precision 75 Ω coax cables. Individually screened and commonly screened. For accurate audio transmission, RGB, Composite, S-VHS, (synchros).., Price per meter 19 €*

*AV 4 - Multi-core of four 75 Ω quality coax cables, variables for RGB (+ Synchro) ...Individually screened, of very low capacitance..., Price per meter 11 €*

*AV 3 - Multi-core of three 75 Ω quality coax cables, ideal for accurate RGB transmission - YUV - Component. Individually screened, of very low capacitance..., Price per meter 8,50 €*

*AV 2 - Multi-core of two 75 Ω quality coax cables. Excellent S-VHS cable, conductors are individually screened, PE foam insulation..., Price per meter 8 €*

## TV/Radio (RF) High Precision Antennae Cable

*Aerial Antennae Cable M⇔F , 75 Ohm High Stability with excellent screening, solid and silver plated center core, high grade connectors, for quality Radio/TV Applications without signal loss.*

ANCO - TV	F / M ACON RF Plugs	Ice Blue cord set	1m	52
ANCO - TV	F / M ACON RF Plugs	Ice Blue cord set	2m	59
ANCO - TV	F / M ACON RF Plugs	Ice Blue cord set	4m	76

## Connectors - Ground Separators, ...

*High End Audio Hum-blocker, against : hum, distortion, ground loops, sparks, etc. - Problem solvers for video - All connectors are insulated with Teflon to stand the right soldering temperatures - All connectors have Gold plated contacts.*

CAT7+	RJ 45 Ethernet plug	Strong cable clamping.	piece	5
CAT8	RJ 45 Ethernet plug	Strong cable clamping.	piece	5
ACON TV M / F	M & F RF plugs	Aerial 75 Ω connector	set	20
MP-8	Mini Jack	Male Stereo	piece	13
RCA-6	RCA plugs	For 6.0 mm cable	pair	12
PPX	RCA plugs	Max. 8.5 mm cable	pair	28
PPSL	RCA plugs	Squeeze Lock - Max. 7.7 mm	pair	34
FORK	Speaker plug 5mm	Banana adapter included	2	27
FORK XL	Speaker plug 6,5mm	Large size	2	27
SWIFT M / F	XLR M & F plug	Patented, with gold plated pins	set	33
AGS-10k Audio	4 RCA Audio	High End (HUM BLOCKER)	piece	110
GSS TV EU	Ground separator	Sraight Shape	piece	30
GSB TV EU	Ground separator	Bent Shape	piece	30
GSS Aerial F-CON	Ground separator	F to F F-Pin + 2 Gold Male	set (3)	21



## Loudspeaker connectors & terminations

<u>COMBICON Crimp</u>	Crimp Body CB-01 M6	For Classic 1.6,...	piece	4
	Crimp Body CB-02 M6	For Classic 2.5, Ply 2.0, Rondo 2.5,...	piece	4
	Crimp Body CB-03 EX	<b>RHODIUM</b>	piece	<b>22</b>
	Crimp Body CB-04 M6	For Classic 4.0, Ply 3.4, Rondo 4.0,...	piece	4
	Crimp Body CB-06 M6	For Classic 6.0,...	piece	4
	<u>SLEEVES</u>	Sleeve S1-2 Black or Red	For Classic 1.6, 2.5, Ply 2.0, Rondo 2.5	piece
Sleeve S4-6 Black or Red		For Classic 4.0, 6.0, Ply 3.4, Rondo 4.0	piece	0,6
Sleeve S-7 Black or Red		For Ply 3.4s	piece	1
Sleeve S-9 Black or Red		For Sword	piece	1
Sleeve S-15 Black or Red		For Quadrax	piece	1
<u>COMBICON M6</u>	M6 BODY Red	Fits up to 6 mm cable	piece	6
	M6 BODY Black	Fits up to 6 mm cable	piece	6
<u>COMBICON Part</u>	M6 Banana / BFA pin	Fits CombiCon M6 and Crimp M6	piece	3
	M6 Banana / BFA pin	<b>RHODIUM fits Body CB-03 EX</b>	piece	<b>6</b>
<u>COMBICON Part</u>	M6 Spade part	Fits CombiCon M6 and Crimp M6	piece	3
	M6 Spade part	<b>RHODIUM fits Body CB-03 EX</b>	piece	<b>6</b>
<u>BOXCON</u>	Banana Chassis	High Quality Chassis terminals	pair	43

## Loudspeaker cable

*JenTech Sky II cables have multistranded Oxygen Free Copper, the wire has a OFC purity degree of 5 N (0,99999). High quality tooling for extrusion of the PVC insulation.*

SKY II	2 x 1.6	Black, Transparent or White	200 m bobbin	2,40 / m
SKY II	2 x 2.5	Black, Transparent or White	200 m bobbin	4,00 / m
SKY II	2 x 4.0	Black, Transparent or White	100 m bobbin	6,00 / m

*SkyFlex / Round, twisted conductors and highly flexible, best of the JenTech Sky cable family, SkyFlex is particularly adapted for installation. The slim and flexible cable construction makes the cable ideal for wiring in conduits (FRHF).*

SKY FLEX	2 x 2.5	Black FRHF	100m bobbin	6.00 / m
SKY FLEX	4 x 2.5	Black FRHF	75m bobbin	9.50 / m
SKY FLEX	4 x 4.0	Black FRHF	50m bobbin	14.50 / m

## Digital Interconnect - HDMI - Ethernet v1.4 High Speed

JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	1m piece	34
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	1,5m piece	39
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	2m piece	42
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	3m piece	49